



TANDRIEMPOELIES T2,5-6
TIMING BELT PULLEYS T2,5-6
ZAHNRIEMENSCHLEIBEN T2,5-6
POULIES COURROIES DENTÉES T2,5-6



K.T.N. Number	z	type	p	belt width	do	Fd	Wb	D	L	d	q ca.	Mat.	
													[mm]
30CMA0100120	12	T2,5	1F	2,5	6	9,55	13,0	9	6,0	16	4	0,004	Alu
30CMA0100140	14	T2,5	1F	2,5	6	11,14	15,0	9	8,0	16	4	0,006	Alu
30CMA0100150	15	T2,5	1F	2,5	6	11,94	15,0	9	8,0	16	4	0,006	Alu
30CMA0100160	16	T2,5	1F	2,5	6	12,73	16,0	9	9,5	16	4	0,006	Alu
30CMA0100180	18	T2,5	6F	2,5	6	14,32	17,5	10	10,0	16	4	0,006	Alu
30CMA0100190	19	T2,5	6F	2,5	6	15,12	18,0	10	10,0	16	4	0,007	Alu
30CMA0100200	20	T2,5	6F	2,5	6	15,92	20,0	10	10,5	16	4	0,008	Alu
30CMA0100220	22	T2,5	6F	2,5	6	17,51	23,0	10	11,0	16	4	0,010	Alu
30CMA0100240	24	T2,5	6F	2,5	6	19,10	23,0	10	12,0	16	4	0,012	Alu
30CMA0100250	25	T2,5	6F	2,5	6	19,89	23,0	10	13,0	16	4	0,013	Alu
30CMA0100260	26	T2,5	6F	2,5	6	20,69	25,0	10	14,0	16	4	0,015	Alu
30CMA0100280	28	T2,5	6F	2,5	6	22,28	25,0	10	14,0	16	4	0,016	Alu
30CMA0100300	30	T2,5	6F	2,5	6	23,87	28,0	10	16,0	16	6	0,018	Alu
30CMA0100320	32	T2,5	6F	2,5	6	25,46	32,0	10	16,0	16	6	0,020	Alu
30CMA0100360	36	T2,5	6F	2,5	6	28,65	36,0	10	20,0	16	6	0,026	Alu
30CMA0100400	40	T2,5	6F	2,5	6	31,83	38,0	10	22,0	16	6	0,032	Alu
30CMA0100440	44	T2,5	6F	2,5	6	35,01	42,0	10	24,0	16	6	0,038	Alu
30CMA0100480	48	T2,5	6	2,5	6	38,20	-	10	26,0	16	6	0,048	Alu
30CMA0100600	60	T2,5	6	2,5	6	47,75	-	10	34,0	16	8	0,073	Alu

Ook leverbaar in klantspecifieke uitvoering
 Also available with customized applications


TANDRIEMPOELIES T5-10
TIMING BELT PULLEYS T5-10
ZAHNRIEMENSCHLEIBEN T5-10
POULIES COURROIES DENTÉES T5-10



K.T.N. Number	z	type	p	belt	do	Fd	Wb	D	L	d	q	Mat.	
				width									ca.
				[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[kg/pc]		
30CMB0100100	10	T5	6F	5	10	15,92	20,0	15	8	21	4	0,01	Alu
30CMB0100120	12	T5	6F	5	10	19,10	23,0	15	11	21	4	0,02	Alu
30CMB0100140	14	T5	6F	5	10	22,28	25,0	15	13	21	4	0,02	Alu
30CMB0100150	15	T5	6F	5	10	23,87	28,0	15	16	21	6	0,02	Alu
30CMB0100160	16	T5	6F	5	10	25,46	32,0	15	18	21	6	0,03	Alu
30CMB0100180	18	T5	6F	5	10	28,65	32,0	15	20	21	6	0,03	Alu
30CMB0100190	19	T5	6F	5	10	30,24	36,0	15	22	21	6	0,04	Alu
30CMB0100200	20	T5	6F	5	10	31,83	36,0	15	23	21	6	0,04	Alu
30CMB0100220	22	T5	6F	5	10	35,01	38,0	15	24	21	6	0,05	Alu
30CMB0100240	24	T5	6F	5	10	38,20	42,0	15	26	21	6	0,06	Alu
30CMB0100250	25	T5	6F	5	10	39,79	44,0	15	26	21	6	0,06	Alu
30CMB0100260	26	T5	6F	5	10	41,38	44,0	15	26	21	6	0,06	Alu
30CMB0100270	27	T5	6F	5	10	42,97	48,0	15	30	21	8	0,07	Alu
30CMB0100280	28	T5	6F	5	10	44,56	48,0	15	32	21	8	0,08	Alu
30CMB0100300	30	T5	6F	5	10	47,75	51,0	15	34	21	8	0,08	Alu
30CMB0100320	32	T5	6F	5	10	50,93	54,0	15	38	21	8	0,09	Alu
30CMB0100360	36	T5	6F	5	10	57,30	64,0	15	38	21	8	0,11	Alu
30CMB0100400	40	T5	6F	5	10	63,66	66,0	15	40	21	8	0,14	Alu
30CMB0100420	42	T5	6F	5	10	66,85	70,0	15	40	21	8	0,17	Alu
30CMB0100440	44	T5	6	5	10	70,03	-	15	45	21	8	0,20	Alu
30CMB0100480	48	T5	6	5	10	76,39	-	15	50	21	8	0,31	Alu
30CMB0100600	60	T5	6	5	10	95,49	-	15	65	21	8	0,35	Alu

Ook leverbaar in klantspecifieke uitvoering
 Also available with customized applications


TANDRIEMPOELIES T5-16
TIMING BELT PULLEYS T5-16
ZAHNRIEMENSCHIEBEN T5-16
POULIES COURROIES DENTÉES T5-16



K.T.N. Number	z	type	p	belt	do	Fd	Wb	D	L	d	q	Mat.
				width								
				[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[kg/pc]	
30CMB0160100	10	T5 6F	5	16	15,92	20,0	21	8	27	4	0,02	Alu
30CMB0160120	12	T5 6F	5	16	19,10	23,0	21	11	27	4	0,02	Alu
30CMB0160140	14	T5 6F	5	16	22,28	25,0	21	13	27	4	0,03	Alu
30CMB0160150	15	T5 6F	5	16	23,87	28,0	21	16	27	6	0,03	Alu
30CMB0160160	16	T5 6F	5	16	25,46	32,0	21	18	27	6	0,04	Alu
30CMB0160180	18	T5 6F	5	16	28,65	32,0	21	20	27	6	0,04	Alu
30CMB0160190	19	T5 6F	5	16	30,24	36,0	21	22	27	6	0,05	Alu
30CMB0160200	20	T5 6F	5	16	31,83	36,0	21	23	27	6	0,05	Alu
30CMB0160220	22	T5 6F	5	16	35,01	38,0	21	24	27	6	0,06	Alu
30CMB0160240	24	T5 6F	5	16	38,20	42,0	21	26	27	6	0,08	Alu
30CMB0160250	25	T5 6F	5	16	39,79	44,0	21	26	27	6	0,08	Alu
30CMB0160260	26	T5 6F	5	16	41,38	44,0	21	26	27	6	0,09	Alu
30CMB0160270	27	T5 6F	5	16	42,97	48,0	21	30	27	8	0,09	Alu
30CMB0160280	28	T5 6F	5	16	44,56	48,0	21	32	27	8	0,10	Alu
30CMB0160300	30	T5 6F	5	16	47,75	51,0	21	34	27	8	0,11	Alu
30CMB0160320	32	T5 6F	5	16	50,93	54,0	21	38	27	8	0,12	Alu
30CMB0160360	36	T5 6F	5	16	57,30	64,0	21	38	27	8	0,16	Alu
30CMB0160400	40	T5 6F	5	16	63,66	66,0	21	40	27	8	0,19	Alu
30CMB0160420	42	T5 6F	5	16	66,85	70,0	21	40	27	8	0,25	Alu
30CMB0160440	44	T5 6	5	16	70,03	-	21	45	27	8	0,28	Alu
30CMB0160480	48	T5 6	5	16	76,39	-	21	50	27	8	0,43	Alu
30CMB0160600	60	T5 6	5	16	95,49	-	21	65	27	8	0,48	Alu

Ook leverbaar in klantspecifieke uitvoering
 Also available with customized applications


TANDRIEMPOELIES T5-25
TIMING BELT PULLEYS T5-25
ZAHNRIEMENSCHLEIBEN T5-25
POULIES COURROIES DENTÉES T5-25



K.T.N. Number	z	type	p	belt	do	Fd	Wb	D	L	d	q	Mat.	
				width									ca.
				[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[kg/pc]		
30CMB0250100	10	T5	6F	5	25	15,92	20,0	30	8	36	4	0,02	Alu
30CMB0250120	12	T5	6F	5	25	19,10	23,0	30	11	36	4	0,03	Alu
30CMB0250140	14	T5	6F	5	25	22,28	25,0	30	13	36	4	0,04	Alu
30CMB0250150	15	T5	6F	5	25	23,87	28,0	30	16	36	6	0,04	Alu
30CMB0250160	16	T5	6F	5	25	25,46	32,0	30	18	36	6	0,05	Alu
30CMB0250180	18	T5	6F	5	25	28,65	32,0	30	20	36	6	0,06	Alu
30CMB0250190	19	T5	6F	5	25	30,24	36,0	30	22	36	6	0,07	Alu
30CMB0250200	20	T5	6F	5	25	31,83	36,0	30	23	36	6	0,08	Alu
30CMB0250220	22	T5	6F	5	25	35,01	38,0	30	24	36	6	0,09	Alu
30CMB0250240	24	T5	6F	5	25	38,20	42,0	30	26	36	8	0,11	Alu
30CMB0250250	25	T5	6F	5	25	39,79	44,0	30	26	36	8	0,12	Alu
30CMB0250260	26	T5	6F	5	25	41,38	44,0	30	26	36	8	0,12	Alu
30CMB0250270	27	T5	6F	5	25	42,97	48,0	30	30	36	8	0,13	Alu
30CMB0250280	28	T5	6F	5	25	44,56	48,0	30	32	36	8	0,14	Alu
30CMB0250300	30	T5	6F	5	25	47,75	51,0	30	34	36	8	0,15	Alu
30CMB0250320	32	T5	6F	5	25	50,93	54,0	30	38	36	8	0,18	Alu
30CMB0250360	36	T5	6F	5	25	57,30	64,0	30	38	36	8	0,23	Alu
30CMB0250400	40	T5	6F	5	25	63,66	66,0	30	40	36	8	0,28	Alu
30CMB0250420	42	T5	6F	5	25	66,85	70,0	30	40	36	8	0,35	Alu
30CMB0250440	44	T5	6	5	25	70,03	-	30	45	36	8	0,40	Alu
30CMB0250480	48	T5	6	5	25	76,39	-	30	50	36	8	0,61	Alu
30CMB0250600	60	T5	6	5	25	95,49	-	30	65	36	8	0,65	Alu

Ook leverbaar in klantspecifieke uitvoering
 Also available with customized applications


TANDRIEMPOELIES T10-16
TIMING BELT PULLEYS T10-16
ZAHNRIEMENSCHLEIBEN T10-16
POULIES COURROIES DENTÉES T10-16



K.T.N. Number	z	type	p	belt width	do	Fd	Wb	D	L	d	q ca.	Mat.	
													[mm]
30CMC0160120	12	T10	6F	10	16	38,20	42,0	21	28	31	6	0,08	Alu
30CMC0160140	14	T10	6F	10	16	44,56	48,0	21	32	31	8	0,10	Alu
30CMC0160150	15	T10	6F	10	16	47,75	51,0	21	32	31	8	0,12	Alu
30CMC0160160	16	T10	6F	10	16	50,93	54,0	21	35	31	8	0,13	Alu
30CMC0160180	18	T10	6F	10	16	57,30	60,0	21	40	31	8	0,17	Alu
30CMC0160190	19	T10	6F	10	16	60,48	66,0	21	44	31	8	0,18	Alu
30CMC0160200	20	T10	6F	10	16	63,66	66,0	21	46	31	8	0,21	Alu
30CMC0160220	22	T10	6F	10	16	70,03	75,0	21	52	31	8	0,24	Alu
30CMC0160240	24	T10	6F	10	16	76,39	83,0	21	58	31	8	0,29	Alu
30CMC0160250	25	T10	6F	10	16	79,58	83,0	21	60	31	8	0,30	Alu
30CMC0160260	26	T10	6F	10	16	82,76	87,0	21	60	31	8	0,31	Alu
30CMC0160270	27	T10	6F	10	16	85,94	91,0	21	60	31	8	0,36	Alu
30CMC0160280	28	T10	6F	10	16	89,13	93,0	21	60	31	8	0,44	Alu
30CMC0160300	30	T10	6F	10	16	95,49	97,0	21	60	31	8	0,49	Alu
30CMC0160320	32	T10	6F	10	16	101,86	106,0	21	65	31	10	0,62	Alu
30CMC0160360	36	T10	6F	10	16	114,59	120,0	21	70	31	10	0,77	Alu
30CMC0160400	40	T10	6F	10	16	127,32	131,0	21	80	31	10	0,95	Alu
30CMC0160440	44	T10	6	10	16	140,06	-	21	88	31	10	1,09	Alu
30CMC0160480	48	T10	6	10	16	152,79	-	21	95	31	16	1,70	Alu
30CMC0160600	60	T10	6	10	16	190,99	-	21	110	31	16	1,85	Alu

Ook leverbaar in klantspecifieke uitvoering
 Also available with customized applications


TANDRIEMPOELIES T10-25
TIMING BELT PULLEYS T10-25
ZAHNRIEMENSCHLEIBEN T10-25
POULIES COURROIES DENTÉES T10-25



K.T.N. Number	z	type	p	belt width	do	Fd	Wb	D	L	d	q ca.	Mat.	
													[mm]
30CMC0250120	12	T10	6F	10	25	38,20	42,0	30	28	40	6	0,10	Alu
30CMC0250140	14	T10	6F	10	25	44,56	48,0	30	32	40	8	0,13	Alu
30CMC0250150	15	T10	6F	10	25	47,75	51,0	30	32	40	8	0,15	Alu
30CMC0250160	16	T10	6F	10	25	50,93	54,0	30	35	40	8	0,18	Alu
30CMC0250180	18	T10	6F	10	25	57,30	60,0	30	40	40	8	0,22	Alu
30CMC0250190	19	T10	6F	10	25	60,48	66,0	30	44	40	8	0,25	Alu
30CMC0250200	20	T10	6F	10	25	63,66	66,0	30	46	40	8	0,28	Alu
30CMC0250220	22	T10	6F	10	25	70,03	75,0	30	52	40	8	0,31	Alu
30CMC0250240	24	T10	6F	10	25	76,39	83,0	30	58	40	8	0,39	Alu
30CMC0250250	25	T10	6F	10	25	79,58	83,0	30	60	40	8	0,42	Alu
30CMC0250260	26	T10	6F	10	25	82,76	87,0	30	60	40	8	0,48	Alu
30CMC0250270	27	T10	6F	10	25	85,94	91,0	30	60	40	8	0,54	Alu
30CMC0250280	28	T10	6F	10	25	89,13	93,0	30	60	40	8	0,59	Alu
30CMC0250300	30	T10	6F	10	25	95,49	97,0	30	60	40	8	0,64	Alu
30CMC0250320	32	T10	6F	10	25	101,86	106,0	30	65	40	10	0,69	Alu
30CMC0250360	36	T10	6F	10	25	114,59	120,0	30	70	40	10	0,87	Alu
30CMC0250400	40	T10	6F	10	25	127,32	131,0	30	80	40	10	1,07	Alu
30CMC0250440	44	T10	6	10	25	140,06	-	30	88	40	10	1,31	Alu
30CMC0250480	48	T10	6	10	25	152,79	-	30	95	40	16	1,52	Alu
30CMC0250600	60	T10	6	10	25	190,99	-	30	110	40	16	2,34	Alu

Ook leverbaar in klantspecifieke uitvoering
 Also available with customized applications


TANDRIEMPOELIES T10-32
TIMING BELT PULLEYS T10-32
ZAHNRIEMENSCHLEIBEN T10-32
POULIES COURROIES DENTÉES T10-32



K.T.N. Number	z	type		p	belt width [mm]	do [mm]	Fd [mm]	Wb [mm]	D [mm]	L [mm]	d [mm]	q ca. [kg/pc]	Mat.
				[mm]									
30CMC0320180	18	T10	6F	10	32	57,30	60,0	37	40	47	10	0,25	Alu
30CMC0320190	19	T10	6F	10	32	60,48	66,0	37	44	47	10	0,29	Alu
30CMC0320200	20	T10	6F	10	32	63,66	66,0	37	46	47	12	0,32	Alu
30CMC0320220	22	T10	6F	10	32	70,03	75,0	37	52	47	12	0,39	Alu
30CMC0320240	24	T10	6F	10	32	76,39	83,0	37	58	47	12	0,48	Alu
30CMC0320250	25	T10	6F	10	32	79,58	83,0	37	60	47	12	0,53	Alu
30CMC0320260	26	T10	6F	10	32	82,76	87,0	37	60	47	12	0,56	Alu
30CMC0320270	27	T10	6F	10	32	85,94	91,0	37	60	47	12	0,60	Alu
30CMC0320280	28	T10	6F	10	32	89,13	93,0	37	60	47	12	0,64	Alu
30CMC0320300	30	T10	6F	10	32	95,49	97,0	37	60	47	12	0,74	Alu
30CMC0320320	32	T10	6F	10	32	101,86	106,0	37	65	47	12	0,84	Alu
30CMC0320360	36	T10	6F	10	32	114,59	120,0	37	70	47	16	1,06	Alu
30CMC0320400	40	T10	6F	10	32	127,32	131,0	37	80	47	16	1,37	Alu
30CMC0320440	44	T10	6	10	32	140,06	-	37	88	47	16	1,61	Alu
30CMC0320480	48	T10	6	10	32	152,79	-	37	95	47	16	1,91	Alu
30CMC0320600	60	T10	6	10	32	190,99	-	37	110	47	16	3,00	Alu

Ook leverbaar in klantspecifieke uitvoering
 Also available with customized applications


TANDRIEMPOELIES T10-50
TIMING BELT PULLEYS T10-50
ZAHNRIEMENSCHLEIBEN T10-50
POULIES COURROIES DENTÉES T10-50



K.T.N. Number	z	type	p		belt width [mm]	do [mm]	Fd [mm]	Wb [mm]	D [mm]	L [mm]	d [mm]	q ca. [kg/pc]	Mat.
			[mm]	[mm]									
30CMC0500180	18	T10 6F	10	50	57,30	60,0	56	40	66	10	0,42	Alu	
30CMC0500190	19	T10 6F	10	50	60,48	66,0	56	44	66	10	0,47	Alu	
30CMC0500200	20	T10 6F	10	50	63,66	66,0	56	46	66	12	0,52	Alu	
30CMC0500220	22	T10 6F	10	50	70,03	75,0	56	52	66	12	0,64	Alu	
30CMC0500240	24	T10 6F	10	50	76,39	83,0	56	58	66	12	0,74	Alu	
30CMC0500250	25	T10 6F	10	50	79,58	83,0	56	60	66	12	0,77	Alu	
30CMC0500260	26	T10 6F	10	50	82,76	87,0	56	60	66	12	0,85	Alu	
30CMC0500270	27	T10 6F	10	50	85,94	91,0	56	60	66	12	0,95	Alu	
30CMC0500280	28	T10 6F	10	50	89,13	93,0	56	60	66	12	0,11	Alu	
30CMC0500300	30	T10 6F	10	50	95,49	97,0	56	60	66	12	1,17	Alu	
30CMC0500320	32	T10 6F	10	50	101,86	106,0	56	65	66	12	1,30	Alu	
30CMC0500360	36	T10 6F	10	50	114,59	120,0	56	70	66	16	1,64	Alu	
30CMC0500400	40	T10 6F	10	50	127,32	131,0	56	80	66	16	2,00	Alu	
30CMC0500440	44	T10 6	10	50	140,06	-	56	88	66	16	2,42	Alu	
30CMC0500480	48	T10 6	10	50	152,79	-	56	95	66	16	2,83	Alu	
30CMC0500600	60	T10 6	10	50	190,99	-	56	110	66	16	4,37	Alu	

Ook leverbaar in klantspecifieke uitvoering
 Also available with customized applications


TANDRIEMPOELIES T20-32
TIMING BELT PULLEYS T20-32
ZAHNRIEMENSCHLEIBEN T20-32
POULIES COURROIES DENTÉES T20-32



K.T.N. Number	z	type	p	belt width	do	Fd	Wb	D	L	d	q ca.	Mat.	
													[mm]
30CMD0320180	18	T20	6F	20	32	114,59	119,0	42	80	53	15	1,60	Alu
30CMD0320200	20	T20	6F	20	32	127,32	138,0	42	90	53	15	1,90	Alu
30CMD0320220	22	T20	6F	20	32	140,06	145,0	42	90	53	15	2,10	Alu
30CMD0320240	24	T20	6F	20	32	152,79	160,0	42	95	53	15	2,30	Alu
30CMD0320250	25	T20	6F	20	32	159,15	168,0	42	95	53	15	2,50	Alu
30CMD0320300	30	T20	6F	20	32	190,99	200,0	42	110	53	15	3,20	Alu
30CMD0320320	32	T20	6	20	32	203,72	-	42	110	53	20	5,60	Alu
30CMD0320360	36	T20	6	20	32	229,18	-	42	110	53	20	6,20	Alu
30CMD0320400	40	T20	6	20	32	254,65	-	42	110	53	20	6,65	Alu
30CMD0320480	48	T20	6	20	32	305,58	-	42	130	53	20	8,10	Alu
30CMD0320600	60	T20	6	20	32	381,97	-	42	130	53	20	11,20	Alu

Ook leverbaar in klantspecifieke uitvoering
 Also available with customized applications


TANDRIEMPOELIES T20-50
TIMING BELT PULLEYS T20-50
ZAHNRIEMENSCHLEIBEN T20-50
POULIES COURROIES DENTÉES T20-50



K.T.N. Number	z	type	p	belt width	do	Fd	Wb	D	L	d	q ca.	Mat.	
													[mm]
30CMD0500180	18	T20	6F	20	50	114,59	119,0	60	80	71	15	2,28	Alu
30CMD0500200	20	T20	6F	20	50	127,32	138,0	60	90	71	15	2,70	Alu
30CMD0500220	22	T20	6F	20	50	140,06	145,0	60	90	71	15	3,00	Alu
30CMD0500240	24	T20	6F	20	50	152,79	160,0	60	95	71	15	3,28	Alu
30CMD0500250	25	T20	6F	20	50	159,15	168,0	60	95	71	15	3,55	Alu
30CMD0500300	30	T20	6F	20	50	190,99	200,0	60	110	71	15	4,54	Alu
30CMD0500320	32	T20	6	20	50	203,72	-	60	110	71	20	5,20	Alu
30CMD0500360	36	T20	6	20	50	229,18	-	60	110	71	20	6,30	Alu
30CMD0500400	40	T20	6	20	50	254,65	-	60	110	71	20	9,55	Alu
30CMD0500480	48	T20	6	20	50	305,58	-	60	130	71	20	11,50	Alu
30CMD0500600	60	T20	6	20	50	381,97	-	60	140	71	20	13,00	Alu

Ook leverbaar in klantspecifieke uitvoering
 Also available with customized applications


TANDRIEMPOELIES T20-75
TIMING BELT PULLEYS T20-75
ZAHNRIEMENSCHLEIBEN T20-75
POULIES COURROIES DENTÉES T20-75



K.T.N. Number	z	type	p		belt width [mm]	do [mm]	Fd [mm]	Wb [mm]	D [mm]	L [mm]	d [mm]	q ca. [kg/pc]	Mat.
			[mm]	[mm]									
30CMD0750180	18	T20	6F	20	75	114,59	119,0	85	80	106	20	3,20	Alu
30CMD0750200	20	T20	6F	20	75	127,32	138,0	85	90	106	20	3,80	Alu
30CMD0750220	22	T20	6F	20	75	140,06	145,0	85	90	106	20	4,20	Alu
30CMD0750240	24	T20	6F	20	75	152,79	160,0	85	95	106	20	4,60	Alu
30CMD0750250	25	T20	6F	20	75	159,15	168,0	85	95	106	20	5,00	Alu
30CMD0750300	30	T20	6F	20	75	190,99	200,0	85	110	106	20	6,40	Alu
30CMD0750320	32	T20	6	20	75	203,72	-	85	110	106	20	11,20	Alu
30CMD0750360	36	T20	6	20	75	229,18	-	85	110	106	20	12,60	Alu
30CMD0750400	40	T20	6	20	75	254,65	-	85	110	106	20	13,50	Alu
30CMD0750480	48	T20	6	20	75	305,58	-	85	130	106	20	16,10	Alu
30CMD0750600	60	T20	6	20	75	381,97	-	85	130	106	20	22,80	Alu

Ook leverbaar in klantspecifieke uitvoering
 Also available with customized applications

TANDRIEMPOELIES T20-100
TIMING BELT PULLEYS T20-100
ZAHNRIEMENSCHLEIBEN T20-100
POULIES COURROIES DENTÉES T20-100



K.T.N. Number	z	type	p	belt width	do	Fd	Wb	D	L	d	q ca.	Mat.	
													[mm]
30CMD1000180	18	T20	6F	20	100	114,59	119,0	110	80	123	24	4,13	Alu
30CMD1000200	20	T20	6F	20	100	127,32	138,0	110	90	123	24	4,90	Alu
30CMD1000220	22	T20	6F	20	100	140,06	145,0	110	90	123	24	5,42	Alu
30CMD1000240	24	T20	6F	20	100	152,79	160,0	110	95	123	24	5,93	Alu
30CMD1000250	25	T20	6F	20	100	159,15	168,0	110	95	123	24	6,45	Alu
30CMD1000300	30	T20	6F	20	100	190,99	200,0	110	110	123	24	8,26	Alu
30CMD1000320	32	T20	6	20	100	203,72	-	110	110	123	32	10,50	Alu
30CMD1000360	36	T20	6	20	100	229,18	-	110	110	123	32	12,60	Alu
30CMD1000400	40	T20	6	20	100	254,65	-	110	110	123	32	19,40	Alu
30CMD1000480	48	T20	6	20	100	305,58	-	110	130	123	32	22,25	Alu
30CMD1000600	60	T20	6	20	100	381,97	-	110	130	123	32	25,50	Alu

Ook leverbaar in klantspecifieke uitvoering
 Also available with customized applications