



TANDRIEMPOELIES AT5-10
TIMING BELT PULLEYS AT5-10
ZAHNRIEMENSCHLEIBEN AT5-10
POULIES COURROIES DENTÉES AT5-10



K.T.N. Number	z	type		p	belt width [mm]	do [mm]	Fd [mm]	Wb [mm]	L [mm]	D [mm]	d [mm]	q ca. [kg/pc.]	Mat.
				[mm]									
30CNJ0100120	12	AT5	6F	5	10	19,10	23,0	15	21	11	4	0,018	Alu
30CNJ0100140	14	AT5	6F	5	10	22,28	25,0	15	21	14	4	0,019	Alu
30CNJ0100150	15	AT5	6F	5	10	23,87	28,0	15	21	16	6	0,021	Alu
30CNJ0100160	16	AT5	6F	5	10	25,46	32,0	15	21	18	6	0,025	Alu
30CNJ0100180	18	AT5	6F	5	10	28,65	32,0	15	21	20	6	0,031	Alu
30CNJ0100190	19	AT5	6F	5	10	30,24	36,0	15	21	22	6	0,036	Alu
30CNJ0100200	20	AT5	6F	5	10	31,83	36,0	15	21	23	6	0,039	Alu
30CNJ0100220	22	AT5	6F	5	10	35,01	38,0	15	21	24	6	0,048	Alu
30CNJ0100240	24	AT5	6F	5	10	38,20	42,0	15	21	26	6	0,054	Alu
30CNJ0100250	25	AT5	6F	5	10	39,79	44,0	15	21	26	6	0,058	Alu
30CNJ0100260	26	AT5	6F	5	10	41,38	44,0	15	21	26	6	0,062	Alu
30CNJ0100270	27	AT5	6F	5	10	42,97	48,0	15	21	30	8	0,064	Alu
30CNJ0100280	28	AT5	6F	5	10	44,56	48,0	15	21	32	8	0,071	Alu
30CNJ0100300	30	AT5	6F	5	10	47,75	51,0	15	21	34	8	0,076	Alu
30CNJ0100320	32	AT5	6F	5	10	50,93	54,0	15	21	36	8	0,088	Alu
30CNJ0100360	36	AT5	6F	5	10	57,30	64,0	15	21	38	8	0,114	Alu
30CNJ0100400	40	AT5	6F	5	10	63,66	66,0	15	21	40	8	0,138	Alu
30CNJ0100420	42	AT5	6F	5	10	66,85	70,0	15	21	40	8	0,180	Alu
30CNJ0100440	44	AT5	6	5	10	70,03	-	15	21	45	8	0,185	Alu
30CNJ0100480	48	AT5	6	5	10	76,39	-	15	21	50	8	0,200	Alu
30CNJ0100600	60	AT5	6	5	10	95,49	-	15	21	65	8	0,307	Alu

Ook leverbaar in klantspecifieke uitvoering
 Also available with customized applications


TANDRIEMPOELIES AT5-16
TIMING BELT PULLEYS AT5-16
ZAHNRIEMENSCHLEIBEN AT5-16
POULIES COURROIES DENTÉES AT5-16



K.T.N. Number	z	type		p	belt width [mm]	do [mm]	Fd [mm]	Wb [mm]	L [mm]	D [mm]	d [mm]	q ca. [kg/pc.]	Mat.
				[mm]									
30CNJ0160120	12	AT5	6F	5	16	19,10	23,0	21	27	11	4	0,022	Alu
30CNJ0160140	14	AT5	6F	5	16	22,28	25,0	21	27	14	4	0,026	Alu
30CNJ0160150	15	AT5	6F	5	16	23,87	28,0	21	27	16	6	0,029	Alu
30CNJ0160160	16	AT5	6F	5	16	25,46	32,0	21	27	18	6	0,035	Alu
30CNJ0160180	18	AT5	6F	5	16	28,65	32,0	21	27	20	6	0,043	Alu
30CNJ0160190	19	AT5	6F	5	16	30,24	36,0	21	27	22	6	0,049	Alu
30CNJ0160200	20	AT5	6F	5	16	31,83	36,0	21	27	23	6	0,053	Alu
30CNJ0160220	22	AT5	6F	5	16	35,01	38,0	21	27	24	6	0,054	Alu
30CNJ0160240	24	AT5	6F	5	16	38,20	42,0	21	27	26	6	0,076	Alu
30CNJ0160250	25	AT5	6F	5	16	39,79	44,0	21	27	26	6	0,081	Alu
30CNJ0160260	26	AT5	6F	5	16	41,38	44,0	21	27	26	6	0,085	Alu
30CNJ0160270	27	AT5	6F	5	16	42,97	48,0	21	27	30	8	0,090	Alu
30CNJ0160280	28	AT5	6F	5	16	44,56	48,0	21	27	32	8	0,092	Alu
30CNJ0160300	30	AT5	6F	5	16	47,75	51,0	21	27	34	8	0,105	Alu
30CNJ0160320	32	AT5	6F	5	16	50,93	54,0	21	27	36	8	0,123	Alu
30CNJ0160360	36	AT5	6F	5	16	57,30	64,0	21	27	38	8	0,160	Alu
30CNJ0160400	40	AT5	6F	5	16	63,66	66,0	21	27	40	8	0,193	Alu
30CNJ0160420	42	AT5	6F	5	16	66,85	70,0	21	27	40	8	0,205	Alu
30CNJ0160440	44	AT5	6	5	16	70,03	-	21	27	45	8	0,228	Alu
30CNJ0160480	48	AT5	6	5	16	76,39	-	21	27	50	8	0,280	Alu
30CNJ0160600	60	AT5	6	5	16	95,49	-	21	27	65	8	0,430	Alu

Ook leverbaar in klantspecifieke uitvoering
 Also available with customized applications


TANDRIEMPOELIES AT5-25
TIMING BELT PULLEYS AT5-25
ZAHNRIEMENSCHLEIBEN AT5-25
POULIES COURROIES DENTÉES AT5-25



K.T.N. Number	z	type	p		do	Fd	Wb	L	D	d	q ca.	Mat.
			[mm]	[mm]								
30CNJ0250120	12	AT5 6F	5	25	19,10	23,0	30	36	11	4	0,031	Alu
30CNJ0250140	14	AT5 6F	5	25	22,28	25,0	30	36	14	4	0,037	Alu
30CNJ0250150	15	AT5 6F	5	25	23,87	28,0	30	36	16	6	0,041	Alu
30CNJ0250160	16	AT5 6F	5	25	25,46	32,0	30	36	18	6	0,050	Alu
30CNJ0250180	18	AT5 6F	5	25	28,65	32,0	30	36	20	6	0,061	Alu
30CNJ0250190	19	AT5 6F	5	25	30,24	36,0	30	36	22	6	0,070	Alu
30CNJ0250200	20	AT5 6F	5	25	31,83	36,0	30	36	23	6	0,076	Alu
30CNJ0250220	22	AT5 6F	5	25	35,01	38,0	30	36	24	6	0,080	Alu
30CNJ0250240	24	AT5 6F	5	25	38,20	42,0	30	36	26	6	0,109	Alu
30CNJ0250250	25	AT5 6F	5	25	39,79	44,0	30	36	26	6	0,118	Alu
30CNJ0250260	26	AT5 6F	5	25	41,38	44,0	30	36	26	6	0,120	Alu
30CNJ0250270	27	AT5 6F	5	25	42,97	48,0	30	36	30	8	0,128	Alu
30CNJ0250280	28	AT5 6F	5	25	44,56	48,0	30	36	32	8	0,135	Alu
30CNJ0250300	30	AT5 6F	5	25	47,75	51,0	30	36	34	8	0,150	Alu
30CNJ0250320	32	AT5 6F	5	25	50,93	54,0	30	36	36	8	0,178	Alu
30CNJ0250360	36	AT5 6F	5	25	57,30	64,0	30	36	38	8	0,230	Alu
30CNJ0250400	40	AT5 6F	5	25	63,66	66,0	30	36	40	8	0,278	Alu
30CNJ0250420	42	AT5 6F	5	25	66,85	70,0	30	36	40	8	0,284	Alu
30CNJ0250440	44	AT5 6	5	25	70,03	-	30	36	45	8	0,315	Alu
30CNJ0250480	48	AT5 6	5	25	76,39	-	30	36	50	8	0,400	Alu
30CNJ0250600	60	AT5 6	5	25	95,49	-	30	36	65	8	0,614	Alu

Ook leverbaar in klantspecifieke uitvoering
 Also available with customized applications


TANDRIEMPOELIES AT10-16
TIMING BELT PULLEYS AT10-16
ZAHNRIEMENSCHIEBEN AT10-16
POULIES COURROIES DENTÉES AT10-16



K.T.N. Number	z	type	p	belt width	do	Fd	Wb	L	D	d	q ca.	Mat.	
													[mm]
30CNK0160150	15	AT10	6F	10	16	47,75	51,0	21	31	31	8	0,118	Alu
30CNK0160160	16	AT10	6F	10	16	50,93	54,0	21	31	35	8	0,134	Alu
30CNK0160180	18	AT10	6F	10	16	57,30	60,0	21	31	40	8	0,167	Alu
30CNK0160190	19	AT10	6F	10	16	60,48	66,0	21	31	44	8	0,184	Alu
30CNK0160200	20	AT10	6F	10	16	63,66	66,0	21	31	46	8	0,208	Alu
30CNK0160220	22	AT10	6F	10	16	70,03	75,0	21	31	52	8	0,253	Alu
30CNK0160240	24	AT10	6F	10	16	76,39	83,0	21	31	58	8	0,288	Alu
30CNK0160250	25	AT10	6F	10	16	79,58	83,0	21	31	60	8	0,310	Alu
30CNK0160260	26	AT10	6F	10	16	82,76	87,0	21	31	60	8	0,357	Alu
30CNK0160270	27	AT10	6F	10	16	85,94	91,0	21	31	60	8	0,364	Alu
30CNK0160280	28	AT10	6F	10	16	89,13	93,0	21	31	60	8	0,401	Alu
30CNK0160300	30	AT10	6F	10	16	95,49	97,0	21	31	60	8	0,441	Alu
30CNK0160320	32	AT10	6F	10	16	101,86	106,0	21	31	65	10	0,493	Alu
30CNK0160360	36	AT10	6F	10	16	114,59	120,0	21	31	70	10	0,623	Alu
30CNK0160400	40	AT10	6F	10	16	127,32	135,0	21	31	80	10	0,787	Alu
30CNK0160440	44	AT10	6	10	16	140,06	-	21	31	88	10	0,993	Alu
30CNK0160480	48	AT10	6	10	16	152,79	-	21	31	95	16	1,090	Alu
30CNK0160600	60	AT10	6	10	16	190,99	-	21	31	110	16	1,701	Alu

Ook leverbaar in klantspecifieke uitvoering
 Also available with customized applications


TANDRIEMPOELIES AT10-25
TIMING BELT PULLEYS AT10-25
ZAHNRIEMENSCHLEIBEN AT10-25
POULIES COURROIES DENTÉES AT10-25



K.T.N. Number	z	type	p	belt width	do	Fd	Wb	L	D	d	q ca.	Mat.
30CNK0250150	15	AT10 6F	10	25	47,75	51,0	30	40	32	8	0,152	Alu
30CNK0250160	16	AT10 6F	10	25	50,93	54,0	30	40	35	8	0,176	Alu
30CNK0250180	18	AT10 6F	10	25	57,30	60,0	30	40	40	8	0,224	Alu
30CNK0250190	19	AT10 6F	10	25	60,48	66,0	30	40	44	8	0,247	Alu
30CNK0250200	20	AT10 6F	10	25	63,66	66,0	30	40	46	8	0,276	Alu
30CNK0250220	22	AT10 6F	10	25	70,03	75,0	30	40	52	8	0,337	Alu
30CNK0250240	24	AT10 6F	10	25	76,39	83,0	30	40	58	8	0,392	Alu
30CNK0250250	25	AT10 6F	10	25	79,58	83,0	30	40	60	8	0,422	Alu
30CNK0250260	26	AT10 6F	10	25	82,76	87,0	30	40	60	8	0,477	Alu
30CNK0250270	27	AT10 6F	10	25	85,94	91,0	30	40	60	8	0,536	Alu
30CNK0250280	28	AT10 6F	10	25	89,13	93,0	30	40	60	8	0,540	Alu
30CNK0250300	30	AT10 6F	10	25	95,49	97,0	30	40	60	8	0,640	Alu
30CNK0250320	32	AT10 6F	10	25	101,86	106,0	30	40	65	10	0,693	Alu
30CNK0250360	36	AT10 6F	10	25	114,59	120,0	30	40	70	10	0,873	Alu
30CNK0250400	40	AT10 6F	10	25	127,32	135,0	30	40	80	10	1,067	Alu
30CNK0250440	44	AT10 6	10	25	140,06	-	30	40	88	10	1,350	Alu
30CNK0250480	48	AT10 6	10	25	152,79	-	30	40	95	16	1,516	Alu
30CNK0250600	60	AT10 6	10	25	190,99	-	30	40	110	16	2,339	Alu

Ook leverbaar in klantspecifieke uitvoering
 Also available with customized applications


TANDRIEMPOELIES AT10-32
TIMING BELT PULLEYS AT10-32
ZAHNRIEMENSCHLEIBEN AT10-32
POULIES COURROIES DENTÉES AT10-32



K.T.N. Number	z	type	p	belt width	do	Fd	Wb	L	D	d	q ca.	Mat.	
													[mm]
30CNK0320180	18	AT10	6F	10	32	57,30	60,0	37	47	40	10	0,253	Alu
30CNK0320190	19	AT10	6F	10	32	60,48	66,0	37	47	44	10	0,286	Alu
30CNK0320200	20	AT10	6F	10	32	63,66	66,0	37	47	46	12	0,322	Alu
30CNK0320220	22	AT10	6F	10	32	70,03	75,0	37	47	52	12	0,393	Alu
30CNK0320240	24	AT10	6F	10	32	76,39	83,0	37	47	58	12	0,475	Alu
30CNK0320250	25	AT10	6F	10	32	79,58	83,0	37	47	60	12	0,527	Alu
30CNK0320260	26	AT10	6F	10	32	82,76	87,0	37	47	60	12	0,564	Alu
30CNK0320270	27	AT10	6F	10	32	85,94	91,0	37	47	60	12	0,602	Alu
30CNK0320280	28	AT10	6F	10	32	89,13	93,0	37	47	60	12	0,642	Alu
30CNK0320300	30	AT10	6F	10	32	95,49	97,0	37	47	60	12	0,740	Alu
30CNK0320320	32	AT10	6F	10	32	101,86	106,0	37	47	65	12	0,844	Alu
30CNK0320360	36	AT10	6F	10	32	114,59	120,0	37	47	70	16	1,063	Alu
30CNK0320400	40	AT10	6F	10	32	127,32	135,0	37	47	80	16	1,317	Alu
30CNK0320440	44	AT10	6	10	32	140,06	-	37	47	88	16	1,611	Alu
30CNK0320480	48	AT10	6	10	32	152,79	-	37	47	95	16	1,931	Alu
30CNK0320600	60	AT10	6	10	32	190,99	-	37	47	110	16	3,004	Alu

Ook leverbaar in klantspecifieke uitvoering
 Also available with customized applications


TANDRIEMPOELIES AT10-50
TIMING BELT PULLEYS AT10-50
ZAHNRIEMENSCHIEBEN AT10-50
POULIES COURROIES DENTÉES AT10-50



K.T.N. Number	z	type	p	belt width	do	Fd	Wb	L	D	d	q ca.	Mat.	
													[mm]
30CNK0500180	18	AT10	6F	10	50	57,30	60,0	56	66	40	10	0,422	Alu
30CNK0500190	19	AT10	6F	10	50	60,48	66,0	56	66	44	10	0,466	Alu
30CNK0500200	20	AT10	6F	10	50	63,66	66,0	56	66	46	12	0,520	Alu
30CNK0500220	22	AT10	6F	10	50	70,03	75,0	56	66	52	12	0,570	Alu
30CNK0500240	24	AT10	6F	10	50	76,39	83,0	56	66	58	12	0,736	Alu
30CNK0500250	25	AT10	6F	10	50	79,58	83,0	56	66	60	12	0,766	Alu
30CNK0500260	26	AT10	6F	10	50	82,76	87,0	56	66	60	12	0,816	Alu
30CNK0500270	27	AT10	6F	10	50	85,94	91,0	56	66	60	12	0,946	Alu
30CNK0500280	28	AT10	6F	10	50	89,13	93,0	56	66	60	12	0,960	Alu
30CNK0500300	30	AT10	6F	10	50	95,49	97,0	56	66	60	12	1,169	Alu
30CNK0500320	32	AT10	6F	10	50	101,86	106,0	56	66	65	12	1,300	Alu
30CNK0500360	36	AT10	6F	10	50	114,59	120,0	56	66	70	16	1,637	Alu
30CNK0500400	40	AT10	6F	10	50	127,32	135,0	56	66	80	16	1,999	Alu
30CNK0500440	44	AT10	6	10	50	140,06	-	56	66	88	16	2,357	Alu
30CNK0500480	48	AT10	6	10	50	152,79	-	56	66	95	16	2,830	Alu
30CNK0500600	60	AT10	6	10	50	190,99	-	56	66	110	16	4,368	Alu

Ook leverbaar in klantspecifieke uitvoering
 Also available with customized applications


TANDRIEMPOELIES AT20-32
TIMING BELT PULLEYS AT20-32
ZAHNRIEMENSCHLEIBEN AT20-32
POULIES COURROIES DENTÉES AT20-32



K.T.N. Number	z	type	p	belt width	do	Fd	Wb	L	D	d	q ca.	Mat.	
													[mm]
30CNL0320180	18	AT20	6F	20	32	114,59	119,0	42	53	80	15	1,60	Alu
30CNL0320200	20	AT20	6F	20	32	127,32	138,0	42	53	90	15	1,90	Alu
30CNL0320220	22	AT20	6F	20	32	140,06	145,0	42	53	90	15	2,10	Alu
30CNL0320240	24	AT20	6F	20	32	152,79	160,0	42	53	95	15	2,30	Alu
30CNL0320250	25	AT20	6F	20	32	159,15	168,0	42	53	95	15	2,50	Alu
30CNL0320300	30	AT20	6F	20	32	190,99	200,0	42	53	110	15	3,20	Alu
30CNL0320320	32	AT20	6	20	32	203,72	-	42	53	110	18	5,60	Alu
30CNL0320360	36	AT20	6	20	32	229,18	-	42	53	110	18	6,20	Alu
30CNL0320400	40	AT20	6	20	32	254,65	-	42	53	110	20	6,65	Alu
30CNL0320480	48	AT20	6	20	32	305,58	-	42	53	130	20	8,10	Alu
30CNL0320600	60	AT20	6	20	32	381,97	-	42	53	130	20	11,20	Alu

Ook leverbaar in klantspecifieke uitvoering
 Also available with customized applications


TANDRIEMPOELIES AT20-50
TIMING BELT PULLEYS AT20-50
ZAHNRIEMENSCHIEBEN AT20-50
POULIES COURROIES DENTÉES AT20-50



K.T.N. Number	z	type	p	belt width	do	Fd	Wb	L	D	d	q ca.	Mat.	
													[mm]
30CNL0500180	18	AT20	6F	20	50	114,59	119,0	60	71	80	15	2,28	Alu
30CNL0500200	20	AT20	6F	20	50	127,32	138,0	60	71	90	15	2,70	Alu
30CNL0500220	22	AT20	6F	20	50	140,06	145,0	60	71	90	15	3,00	Alu
30CNL0500240	24	AT20	6F	20	50	152,79	160,0	60	71	95	15	3,28	Alu
30CNL0500250	25	AT20	6F	20	50	159,15	168,0	60	71	95	15	3,55	Alu
30CNL0500300	30	AT20	6F	20	50	190,99	200,0	60	71	110	15	4,54	Alu
30CNL0500320	32	AT20	6	20	50	203,72	-	60	71	110	20	5,20	Alu
30CNL0500360	36	AT20	6	20	50	229,18	-	60	71	110	20	6,30	Alu
30CNL0500400	40	AT20	6	20	50	254,65	-	60	71	110	20	9,55	Alu
30CNL0500480	48	AT20	6	20	50	305,58	-	60	71	130	20	11,50	Alu
30CNL0500600	60	AT20	6	20	50	381,97	-	60	71	130	20	13,00	Alu

Ook leverbaar in klantspecifieke uitvoering
 Also available with customized applications


TANDRIEMPOELIES AT20-75
TIMING BELT PULLEYS AT20-75
ZAHNRIEMENSCHLEIBEN AT20-75
POULIES COURROIES DENTÉES AT20-75



K.T.N. Number	z	type	p	belt width	do	Fd	Wb	L	D	d	q ca.	Mat.	
													[mm]
30CNL0750180	18	AT20	6F	20	75	114,59	119,0	85	106	80	15	3,20	Alu
30CNL0750200	20	AT20	6F	20	75	127,32	138,0	85	106	90	15	3,80	Alu
30CNL0750220	22	AT20	6F	20	75	140,06	145,0	85	106	90	15	4,20	Alu
30CNL0750240	24	AT20	6F	20	75	152,79	160,0	85	106	95	15	4,60	Alu
30CNL0750250	25	AT20	6F	20	75	159,15	168,0	85	106	95	15	5,00	Alu
30CNL0750300	30	AT20	6F	20	75	190,99	200,0	85	106	110	15	6,40	Alu
30CNL0750320	32	AT20	6	20	75	203,72	-	85	106	110	20	11,20	Alu
30CNL0750360	36	AT20	6	20	75	229,18	-	85	106	110	20	12,60	Alu
30CNL0750400	40	AT20	6	20	75	254,65	-	85	106	110	20	13,50	Alu
30CNL0750480	48	AT20	6	20	75	305,58	-	85	106	130	20	16,10	Alu
30CNL0750600	60	AT20	6	20	75	381,97	-	85	106	130	20	22,80	Alu

Ook leverbaar in klantspecifieke uitvoering
 Also available with customized applications

TANDRIEMPOELIES AT20-100
TIMING BELT PULLEYS AT20-100
ZAHNRIEMENSCHLEIBEN AT20-100
POULIES COURROIES DENTÉES AT20-100



K.T.N. Number	z	type	p	belt width	do	Fd	Wb	L	D	d	q ca.	Mat.	
													[mm]
30CNL1000180	18	AT20	6F	20	100	114,59	119,0	110	123	80	24	4,13	Alu
30CNL1000200	20	AT20	6F	20	100	127,32	138,0	110	123	90	24	4,90	Alu
30CNL1000220	22	AT20	6F	20	100	140,06	145,0	110	123	90	24	5,42	Alu
30CNL1000240	24	AT20	6F	20	100	152,79	160,0	110	123	95	24	5,93	Alu
30CNL1000250	25	AT20	6F	20	100	159,15	168,0	110	123	95	24	6,45	Alu
30CNL1000300	30	AT20	6F	20	100	190,99	200,0	110	123	110	24	8,26	Alu
30CNL1000320	32	AT20	6	20	100	203,72	-	110	123	110	32	10,50	Alu
30CNL1000360	36	AT20	6	20	100	229,18	-	110	123	110	32	12,60	Alu
30CNL1000400	40	AT20	6	20	100	254,65	-	110	123	110	32	19,40	Alu
30CNL1000480	48	AT20	6	20	100	305,58	-	110	123	130	32	22,25	Alu
30CNL1000600	60	AT20	6	20	100	381,97	-	110	123	130	32	25,50	Alu

Ook leverbaar in klantspecifieke uitvoering
 Also available with customized applications